Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	947	(invok\$3 or instantiat\$4) near3 service and message near10 rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:15
L2	487	@ad<"20010326" and (invok\$3 or instantiat\$4) near3 service and message near10 rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR.	OFF	2005/09/23 08:16
L3	365	@ad<"20010326" and (invok\$3 or instantiat\$4) near3 service and (message near3 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:16
L4	61	@ad<"20010326" and (invok\$3 or instantiat\$4) near3 service and (message near3 rout\$4) and header and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:16
L5	61	@ad<"20010326" and (invok\$3 or instantiat\$4) near3 service and (message near3 rout\$4) and header and attachment and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:17
L6	60	@ad<"20010326" and (invok\$3) near3 service and (message near3 rout\$4) and header and attachment and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:48
L7	0	@ad<"20010326" and ((invok\$3) near3 service same behalf)and (message near3 rout\$4) and header and attachment and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR [*]	OFF	2005/09/23 08:18
L8	57	@ad<"20010326" and (invok\$3) adj5 service and (message near3 rout\$4) and header and attachment and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:42
L9	. 9	@ad<"20010326" and (behalf same (invok\$3) adj5 service) and (message near3 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:55
L10		@ad<"20010326" and (behalf near10 (invok\$3) near10 service) and (message near3 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 08:56
L11	1	@ad<"20010326" and (behalf near10 invok\$3 near10 service) and (message near3 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:09
L12	1999	"B2B"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:09
L13	1	@ad<"20010326" and "B2B" and (behalf near10 invok\$3 near10 service) and (message near3 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/09/23 09:10
L14	1	@ad<"20010326" and "B2B" and (behalf near10 invok\$3 near10 service)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:41
L15	4	("370" or "709" or "707").das. and "routing script" and attachment	US-PGPUB; USPAT; FPO: 1PO:	OR	OFF	2005/09/23 09:41

L16	506	("370" or "709" or "707").clas. and rout\$4 and script and attachment	US-PGPUB; USPAT;	OR	OFF	2005/09/23 09:41
L17	56	("370" or "709" or "707").clas. and rout\$4 same script and	EPO; JPO; DERWENT US-PGPUB;	OR	OFF	2005/09/23 09:41
		attachment	USPAT; EPO; JPO; DERWENT	J OK		2003/03/23 03/11
L18	15	("370" or "709" or "707").clas. and (rout\$4 near10 script) and attachment and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:41
L19	1	@ad<"20010326" and ("705" or "370" or "709" or "707").clas. and "B2B" and (behalf near10 invok\$3 near10 service)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:42
L20	43	("370" or "709" or "707").clas. and @ad<"20010326" and (invok\$3) adj5 service and (message near3 rout\$4) and header and attachment and identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:42
S1	20	gcid	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/02 08:41
S2	14	gcid and service	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/07 08:46
S3	8	@ad<"20010326" and gcid and service and (manipulat\$5 or replac\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	OFF	2004/09/09 08:59
S4	631	@ad<"20010326" and message\$2 and xml and enterpri\$4 and service\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/05 09:02
S5	73	@ad<"20010326" and (message\$2 near3 rout\$4) and xml and enterpri\$4 and service\$2 and authenti\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 11:06
S6	57	@ad<"20010326" and (message\$2 near3 rout\$4) and xml and enterpri\$4 and service\$2 and authenti\$5 and bill\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/15 08:48
S7	32	@ad<"20010326" and (message\$2 near3 rout\$4) and xml and enterpri\$4 and service\$2 and authenti\$5 and bill\$3 and ID and tag\$2 and token\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/24 18:03
58	. 2	"6658010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/07 15:17
S9	2	"5918013".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/02 08:41
S10	14	gcid and service and (manipulat\$5 or replac\$5 or chang\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/09 08:59

•

•

S11	3145	message\$2 and xml and enterpri\$4 and service\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/09 08:59
523	2	"6611891".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/02/25 08:54
S24 _.	0	evite.asn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 10:29
S25	21	IAC.asn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 10:30
S26	0	InterActiveCorp.asn.	US-PGPUB; USPAT; EPO; DERWENT	OR.	OFF	2005/04/14 10:30
S27	0	IAC/InterActiveCorp.asn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 11:11
S28	7	evite	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 11:11
S29	. 1	evite and xml	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 11:11
S30	532	@ad<"20010326" and ((error\$2 or fail\$4) near10 log) same network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/15 08:48
S31	9	@ad<"20010326" and ((error\$2 or fail\$4) near10 log) same network\$3 and error adj10 notifi\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/14 17:51
532	40	@ad<"20010326" and (message\$2 near3 rout\$4) and xml and enterpri\$4 and service\$2 and authenti\$5 and bill\$3 and ID and tag\$2 and token\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/15 08:48
533	69	@ad<"20010326" and (message\$2 near3 rout\$4) and xml and enterpri\$4 and service\$2 and authenti\$5 and bill\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF .	2005/04/15 08:48
S34	532	@ad<"20010326" and ((error\$2 or fail\$4) near10 log) same network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/15 08:48
S35	2	"6526044".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 09:30
S36	72	@ad<"20010326" and (network adj4 (monitor\$2 or analyzer\$2)) same (format\$3 or modif\$5) same messag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	OFF	2005/05/05 09:04

S37	12	@ad<"20010326" and (network adj4 (monitor\$2 or	US-PGPUB;	OR	OFF	2005/05/05 09:04
		analyzer\$2)) near10 (format\$3 or modif\$5) same messag\$5	USPAT; EPO; JPO; DERWENT			
538	2	"6430624".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:39
S39	2	"6799214".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:39
S40	8	@ad<"20010326" and ofoto	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/24 14:39
541	1	@ad<"20010326" and egreetings	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/24 14:39
S42	2	"6526044".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 17:40
S43	1466	@ad<"20010326" and services same monitor\$3 same messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/24 18:03
S44	12	@ad<"20010326" and services same monitor\$3 same messag\$3 and hop and error same log	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/24 18:03
S45	2	"6526044".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 07:57
S46	1236	@ad<"20010326" and monitor same (electronic or e) adj3 mail	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 08:05
S47	215	@ad<"20010326" and monitor near10 (electronic or e) adj3 mail	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 08:06
548	66	@pd<"20010326" and monitor near10 (electronic or e) adj3 mail	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 08:06
549	2	@pd<"20010326" and monitor near10 (electronic or e) adj3 mail and body and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 08:10
550	9	@ad<"20010326" and monitor near10 (electronic or e) adj3 mail and body and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 09:59
S51	2	"6526044".pn.	US-PGPUB;	OR	OFF	2005/09/21 09:59

P

S52	12	@ad<"20010326" and (agent near10 service) and (rout\$3 near3 script) and message near10 rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 11:11
S53	4	@ad<"20010326" and (agent near10 service) and (rout\$3 near3 script) and message near10 rout\$4 and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 11:31
S54	2	@ad<"20010326" and (rout\$3 near3 script) and (message near10 rout\$4) and attachment and header	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 13:19
S55	3	@ad<"20010326" and "business to business"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 13:20
S56	756	@ad<"20010326" and b2b	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 13:20
S57	0	@ad<"20010326" and b2b and "routing script"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 13:20
S58	. 4	@ad<"20010326" and "routing script" and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 13:22
S59	9	"routing script" and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:40
S60	3705	rout\$4 and script and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:41
S61	168	rout\$4 same script and attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:41
S62	128	(rout\$4 same script) and attachment and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/21 13:24
S63	45	(rout\$4 near10 script) and attachment and message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/23 09:41